CLAVIS™

Beyond the Surface

Aangan

Series

www.clavissurfaces.com

600x1200mm

CLAVIS™
Beyond the Surface

INSPIRED BY ITALIAN AESTHETICS.

At Clavis, we create surfaces that inspire. With a passion for innovation and an uncompromising commitment to quality, our 600×1200 mm glossy GVT/PGVT tiles are designed to deliver exceptional beauty and enduring performance. From subtle textures to luxurious finishes, each tile reflects precision, elegance, and contemporary design, helping architects, designers, and homeowners shape spaces that leave a lasting impression.



GLOSSY SURFACE

www.clavissurfaces.com

CLAVIS™
Beyond the Surface

LET YOUR SPACES GLOW WITH REFINED SOPHISTICATION

Experience timeless elegance with the AANGAN SERIES by Clavis, crafted in a premium 600×1200 mm format with a luxurious glossy surface finish. Inspired by the enduring beauty of natural golden marble, this collection features a radiant ivory base enriched with flowing golden veins that create a seamless sense of depth, warmth, and sophistication. Its polished surface reflects light beautifully, enhancing the brightness and spaciousness of interiors while adding a refined contemporary charm. Designed for both residential and commercial spaces, the AANGAN SERIES perfectly combines luxurious aesthetics, exceptional durability, and effortless maintenance, making it an ideal choice for architects, designers, and homeowners seeking timeless style with lasting performance.

GLOSSY SURFACE

Inspired by the timeless beauty of natural golden marble, the AANGAN SERIES showcases flowing golden veins across a luminous ivory canvas, creating a seamless expression of warmth, elegance, and sophistication. Crafted to bring enduring luxury and refined character to contemporary interiors, it transforms every space into a statement of timeless design. Introducing...

Aangan Series

GLOSSY
FINISH

600x
1200mm

www.clavissurfaces.com



CLAVIS™
Beyond the Surface

SURFACE CRAFTED ELEGANCE

Inspired by the timeless grandeur of premium Italian Statuario marble, the AANGAN SERIES by Clavis is crafted in an elegant 600×1200 mm format with a luxurious glossy surface finish. Defined by its luminous ivory base and flowing golden veining, this collection embodies refined sophistication and contemporary elegance. Its polished surface beautifully reflects natural light, creating interiors that feel brighter, more spacious, and effortlessly luxurious. Designed for both residential and commercial spaces, the AANGAN SERIES seamlessly combines exceptional aesthetics, enduring durability, and easy maintenance, making it the perfect choice for architects, designers, and homeowners seeking timeless beauty with lasting performance.

600x1200mm

ENGINEERED FEATURES OF PRECISION

Scratch Resistant
Built to endure everyday wear, maintaining a flawless surface finish over time.

Heat Resistant
Performs efficiently in high-temperature environments like kitchens and dining areas.

Chemical Resistant
Unaffected by everyday chemicals, ensuring lasting beauty and performance.

Versatile Applications
Flexible formats and finishes expand design possibilities across diverse spaces.

Water Resistant
Repels moisture, ensuring lasting strength and a flawless finish.

Easy to Clean
Smooth surface allows effortless cleaning and everyday maintenance.

GLOSSY SURFACE

CLAVIS™
Beyond the Surface

From elegant residences to sophisticated commercial spaces, Clavis surfaces are thoughtfully crafted to complement a wide range of environments. Combining timeless aesthetics with exceptional durability, they adapt seamlessly to diverse applications, enhancing every space with lasting performance, refined style, and functional excellence.



www.**clavissurfaces**.com

600x1200mm

CRAFTED FOR EVERY ENVIRONMENT

From refined residential interiors to sophisticated commercial environments, Clavis surfaces are engineered to deliver exceptional performance across a wide range of applications. Blending enduring durability with timeless aesthetics, each collection is designed to elevate spaces with effortless elegance, functionality, and lasting appeal.

Thoughtfully crafted for versatility, Clavis tiles integrate seamlessly into every setting, offering consistent quality, refined design, and reliable performance that stands the test of time.

LIVING ROOMS
BED ROOMS
DINING AREAS
KITCHEN
HOSPITALS
RESTAURANT
OFFICES
BOUTIQUE




GLOSSY SURFACE

CLAVIS™
Beyond the Surface

www.clavissurfaces.com

600x1200mm

TIMELESS



ELEGANCE

Designed to enhance every environment, they offer timeless elegance, exceptional durability, and seamless performance in every space.

GLOSSY SURFACE

CLAVIS™
Beyond the Surface

LUXURY THAT REFLECTS YOUR STYLE

Every tile in the decor
Terrazzo collection is crafted
To make a lasting impression.
The glossy surface
Beautifully reflects light,
Creating a vibrant and elegant
Ambiance while highlighting
The intricate terrazzo
Inspired patterns.

PRODUCT INDEX

CLICK & EXPLORE
THE SURFACES


ADONIS GREY DECOR


ALEXA DECORE


ALGERA GREY DECORE


BARBERA GREY DECORE


EASTER MUD DECORE


GIANT BROWN DECORE


HELIX DECORE



LECORD GREY DECORE


LEN DECORE


NITRO DECORE


NORDEX DECORE


OREX GRIS DECORE


PAROS WHITE DECORE


SAHARA DECORE



SPAIDER GREY DECORE


SPARK ONYX DECORE



TESLA DECOR



ULTIMO GREY DECORE


VERSACE DECORE


ASTONE BROWN


ASTONE MIX


CRYSTAL MIX


FOX BLACK


FOX BROWN


FOX CREMA


FOX GREY


FOX MUD


FOX SILVER

600x1200mm

CLAVIS™
Beyond the Surface


LUMIX CHOCOLATE


LUMIX SILVER


METRIX BLUE


METRIX FANTA


VETRO BROWN


VETRO CREMA


VETRO GREY


METRIX PISTA


METRIX WHITE


NEWTON CHOCO


NEWTON CREMA


NEWTON GREY


NEWTON PEARL


PULSE BEIGE


PULSE CHOCO


PULSE GREY


PULSE MOCA


SPANISH CREMA


SPANISH GREY

GLOSSY SURFACE

www.clavissurfaces.com

CLAVIS™
Beyond the Surface


Aangan
Series



ADONIS GREY DECOR


SIZE	SURFACE	RANDOMS	THICKNESS
600x1200 MM	**GLOSSY**	**4**	**9 MM**

BACK TO INDEX



ADONIS GREY





ALEXA DECORE

SIZE	SURFACE	RANDOMS	THICKNESS
600x1200 MM	**GLOSSY**	**4**	**9 MM**

BACK TO INDEX



ALEXA STATUARIO




ALGERA GREY DECORE

SIZE	SURFACE	RANDOMS	THICKNESS
600x1200 MM	**GLOSSY**	**4**	**9 MM**

BACK TO INDEX



ALGERA GREY



BARBERA GREY DECORE

SIZE	SURFACE	RANDOMS	THICKNESS
600x1200 MM	**GLOSSY**	**4**	**9 MM**

BACK TO INDEX



BARBERA GREY





EASTER MUD DECORE

SIZE	SURFACE	RANDOMS	THICKNESS
600x1200 MM	**GLOSSY**	**4**	**9 MM**

BACK TO INDEX



EASTER MUD



GIANT BROWN DECORE

SIZE	SURFACE	RANDOMS	THICKNESS
600x1200 MM	**GLOSSY**	**4**	**9 MM**

BACK TO INDEX




GIANT BROWN



HELIX DECORE

SIZE	SURFACE	RANDOMS	THICKNESS
600x1200 MM	**GLOSSY**	**4**	**9 MM**

BACK TO INDEX



HELIX





LECORD GREY DECORE

SIZE	SURFACE	RANDOMS	THICKNESS
600x1200 MM	**GLOSSY**	**4**	**9 MM**

BACK TO INDEX




LECORD GREY




LEN DECORE

SIZE	SURFACE	RANDOMS	THICKNESS
600x1200 MM	**GLOSSY**	**4**	**9 MM**

BACK TO INDEX




LEN SILVER



NITRO DECORE


SIZE	SURFACE	RANDOMS	THICKNESS
600x1200 MM	**GLOSSY**	**4**	**9 MM**


BACK TO INDEX



NITRO STATUARIO







NORDEX DECORE

SIZE
600x1200 MM

SURFACE
GLOSSY

THICKNESS
9 MM

BACK TO INDEX



OREX GRIS DECORE

SIZE	SURFACE	RANDOMS	THICKNESS
600x1200 MM	**GLOSSY**	**4**	**9 MM**

BACK TO INDEX



OREX GRIS



PAROS WHITE DECORE


SIZE	SURFACE	RANDOMS	THICKNESS
600x1200 MM	**GLOSSY**	**4**	**9 MM**

BACK TO INDEX



PAROS WHITE






SAHARA DECORE

SIZE	SURFACE	RANDOMS	THICKNESS
600x1200 MM	**GLOSSY**	**4**	**9 MM**


BACK TO INDEX



SAHARA GREY

CLAVIS™
Beyond the Surface


Aangan
Series



SPAIDER GREY DECORE

SIZE	SURFACE	RANDOMS	THICKNESS
600x1200 MM	**GLOSSY**	**4**	**9 MM**


BACK TO INDEX



SPAIDER GREY

CLAVIS™
Beyond the Surface

Aangan
Series



SPARK ONYX DECORE

SIZE	SURFACE	RANDOMS	THICKNESS
600x1200 MM	**GLOSSY**	**4**	**9 MM**

BACK TO INDEX



SPARK ONYX





TESLA DECOR

SIZE	SURFACE	RANDOMS	THICKNESS
600x1200 MM	**GLOSSY**	**4**	**9 MM**

BACK TO INDEX



TESLA CREMA

CLAVIS™
Beyond the Surface

Aangan
Series



ULTIMO GREY DECORE

SIZE	SURFACE	RANDOMS	THICKNESS
600x1200 MM	**GLOSSY**	**4**	**9 MM**

BACK TO INDEX



ULTIMO GREY



VERSACE DECORE

SIZE	SURFACE	RANDOMS	THICKNESS
600x1200 MM	**GLOSSY**	**4**	**9 MM**

BACK TO INDEX



VERSACE



CLAVIS™
Beyond the Surface

Aangan
Series



ELEVATE EVERY SPACE WITH TIMELESS **TERRAZZO**












ASTONE BROWN

SIZE	SURFACE	RANDOMS	THICKNESS
600x1200 MM	**GLOSSY**	**4**	**9 MM**

BACK TO INDEX






ASTONE MIX

SIZE	SURFACE	RANDOMS	THICKNESS
600x1200 MM	**GLOSSY**	**4**	**9 MM**

BACK TO INDEX




CLAVIS™
Beyond the Surface

Aangan
Series












CRYSTAL MIX


SIZE	SURFACE	RANDOMS	THICKNESS
600x1200 MM	**GLOSSY**	**4**	**9 MM**


BACK TO INDEX













FOX BLACK

SIZE	SURFACE	RANDOMS	THICKNESS
600x1200 MM	**GLOSSY**	**4**	**9 MM**

BACK TO INDEX









FOX BROWN

SIZE	SURFACE	RANDOMS	THICKNESS
600x1200 MM	**GLOSSY**	**4**	**9 MM**

BACK TO INDEX






FOX CREMA


SIZE	SURFACE	RANDOMS	THICKNESS
600x1200 MM	**GLOSSY**	**4**	**9 MM**


BACK TO INDEX


CLAVIS™
Beyond the Surface


Aangan
Series













FOX GREY

SIZE	SURFACE	RANDOMS	THICKNESS
600x1200 MM	**GLOSSY**	**4**	**9 MM**

BACK TO INDEX


Fellow








FOX MUD


SIZE	SURFACE	RANDOMS	THICKNESS
600x1200 MM	**GLOSSY**	**4**	**9 MM**

BACK TO INDEX












FOX SILVER


SIZE	SURFACE	RANDOMS	THICKNESS
600x1200 MM	**GLOSSY**	**4**	**9 MM**


BACK TO INDEX













LUMIX CHOCOLATE

SIZE	SURFACE	RANDOMS	THICKNESS
600x1200 MM	**GLOSSY**	**4**	**9 MM**

BACK TO INDEX















LUMIX SILVER

SIZE	SURFACE	RANDOMS	THICKNESS
600x1200 MM	**GLOSSY**	**4**	**9 MM**

BACK TO INDEX









METRIX BLUE

SIZE
600x1200 MM

SURFACE
GLOSSY

THICKNESS
9 MM

BACK TO INDEX



METRIX FANTA

SIZE
600x1200 MM

SURFACE
GLOSSY

THICKNESS
9 MM


BACK TO INDEX




SWEET
HOM











METRIX PISTA

SIZE
600x1200 MM

SURFACE
GLOSSY

THICKNESS
9 MM

BACK TO INDEX

CLAVIS™
Beyond the Surface

Aangan
Series




METRIX WHITE


SIZE
600x1200 MM


SURFACE
GLOSSY

THICKNESS
9 MM


BACK TO INDEX
















NEWTON CHOCO

SIZE	SURFACE	RANDOMS	THICKNESS
600x1200 MM	**GLOSSY**	**4**	**9 MM**


BACK TO INDEX















NEWTON CREMA

SIZE	SURFACE	RANDOMS	THICKNESS
600x1200 MM	**GLOSSY**	**4**	**9 MM**

BACK TO INDEX

CLAVIS™
Beyond the Surface

Aangan
Series



NEWTON GREY


SIZE	SURFACE	RANDOMS	THICKNESS
600x1200 MM	**GLOSSY**	**4**	**9 MM**

BACK TO INDEX



CLAVIS™
Beyond the Surface


Aangan
Series













NEWTON PEARL

SIZE	SURFACE	RANDOMS	THICKNESS
600x1200 MM	**GLOSSY**	**4**	**9 MM**

BACK TO INDEX


THE SYSTEM
A HISTORY STORY
JOHN SILVER







PULSE BEIGE

SIZE	SURFACE	RANDOMS	THICKNESS
600x1200 MM	**GLOSSY**	**4**	**9 MM**

BACK TO INDEX







PULSE CHOCO

SIZE	SURFACE	RANDOMS	THICKNESS
600x1200 MM	**GLOSSY**	**4**	**9 MM**

BACK TO INDEX







PULSE GREY

SIZE	SURFACE	RANDOMS	THICKNESS
600x1200 MM	**GLOSSY**	**4**	**9 MM**

BACK TO INDEX









PULSE MOCA

SIZE	SURFACE	RANDOMS	THICKNESS
600x1200 MM	**GLOSSY**	**4**	**9 MM**

BACK TO INDEX






SPANISH CREMA

SIZE	SURFACE	RANDOMS	THICKNESS
600x1200 MM	**GLOSSY**	**4**	**9 MM**

BACK TO INDEX

CLAVIS™
Beyond the Surface


Aangan
Series




SPANISH GREY


SIZE	SURFACE	RANDOMS	THICKNESS
600x1200 MM	**GLOSSY**	**4**	**9 MM**


BACK TO INDEX



















VETRO BROWN


SIZE	SURFACE	RANDOMS	THICKNESS
600x1200 MM	**GLOSSY**	**3**	**9 MM**


BACK TO INDEX












VETRO CREMA


SIZE	SURFACE	RANDOMS	THICKNESS
600x1200 MM	**GLOSSY**	**3**	**9 MM**


BACK TO INDEX


CLAVIS™
Beyond the Surface


Aangan
Series











VETRO GREY

SIZE
600x1200 MM

SURFACE
GLOSSY

RANDOMS
3

THICKNESS
9 MM

BACK TO INDEX



TECHNICAL SPECIFICATION

CHARACTERISTIC	STAND ARD AS PER ISO13006:2018/ EN14411 Gr.Bla	MEAN VALUE	TEST METHOD
Regulatory Properties			
Deviation in length and width	± 0.30 % (±1.00mm)	± 0.10 %	ISO 10545-2
Deviation in thickness	± 5.00 % (±0.50mm)	± 4.00 %	ISO 10545-2
Straightness in side	± 0.30 % (±0.80mm)	± 0.10 %	ISO 10545-2
Rectangularity	± 0.30 % (±1.50mm)	± 0.10 %	ISO 10545-2
Surface flatness cental cur vature	± 0.40 % (±1.80mm)	± 0.20 %	ISO 10545-2
Surface flatness edge curvature	± 0.40 % (±1.80mm)	± 0.20 %	ISO 10545-2
Surface flatness warpage	± 0.40 % (±1.80mm)	± 0.10 %	ISO 10545-2
Surface quality	> 95% defects free	> 95% defects free	ISO 10545-2
Small Color Difference(For Plain Color)	ΔE<1.00	ΔE < 0.30	ISO 10545-16
Glossiness (Polished)	as per mfg.	Gloss Value > 90	Glossmeter 60°
Glossiness (Matt)	as per mfg.	3° < GLOSS < 7°	Glossmeter 60°
Glossiness (Satin/P osh)	as per mfg.	7° < GLOSS < 18°	Glossmeter 60°
Structural Properties			
Water absorption	0.50 % ≤ Ev ≤ 3.00 %	0.060 % ≤ Ev ≤ 3.00 %	ISO 10545-3
Bulk density	as per mfg.	> 2.28 gm/c c	ISO 10545-3
Massive Mechanical P roperties			
Modulus of rupture	Min. 30.0 N/mm²	Min. 35.0 N/mm²	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 700.0 N	Min. 1000.0 N	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 1100.0 N	Min. 1300.0 N	ISO 10545-4
Breaking strength thickness ≥7.5(For ≥15mm)	Min. 1100.0 N	Min. 1800.0 N	ISO 10545-4
Surface Mechanical P roperties			
MOH'S har dness	as per mfg.	Polished Min 4* / Satin,Posh & Matt Min 6	BS EN 15771
Surface abrasion resistance	as per mfg.	Polish Min. Class 2, Satin & P osh Min. Class 3, & Matt Min. Class 4	ISO 10545-7
Deep abrasion resistance	Max. 175mm¹	Max. 132mm¹	ISO 10545-6
Thermal Hydrometric Properties			
Moisture expansion	Max. 0.06%(0.6mm/m)	0.02mm/m	ISO 10545-10
Thermal expansion(COE) at 100°C	as per mfg.	Max. 6.0 x 10^{-6}	ISO 10545-8
Thermal shock resistance	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9
Impact resistance(COR)	Min. 0.55	Min. 0.55	ISO 10545-5
Frost resistance	as per mfg.	Frost Proof	ISO 10545-12
Chemical Properties			
Resistance to staining glazed	Min. Class 3	Min. Class 4	ISO 10545-14
Resistance to household chemicals & swimming pool salts glazed	Min. Class GB	Min. Class GA	ISO 10545-13
Resistance to low concentrate acid and alkalis glazed	as per mfg.	Min. Class GLA**	ISO 10545-13
Resistance to high concentrate acid and alkalis unglazed	as per mfg.	Min. Class GHB**	ISO 10545-13
Safety Properties			
Skid resistance (COF -WET PENDULAM)##	as per mfg.	Glossy P0(<12),Satin, P osh ≥P1(12-24) Matt ≥P2(25-34)	BS 7976-2
Slip resistance - (Satin / Matt (DCOF) (R value)##	as per mfg.	R9 to R13**	DIN 51130
Fire resistance	as per mfg.	Fire Proof	N.A.

PACKING DETAILS

PRODUCT	SIZE	TILES / BOX	COVERAGE AREA / BOX	WEIGHT
GVT/PGVT	**600X1200MM**	**2 PCS.**	**1.44 SQ.MTR.**	**27 KG (APPROX)**

LETS
GET IN
TOUCH !

CLAVIS™
Beyond the Surface

CLAVIS SURFACES LLP

Jetpar Road, At. Bela
(Rangpar), Morbi-363642,
(Gujarat) INDIA.

+91 95123 30050
clavissurfaces@gmail.com
www.**clavissurfaces**.com

DOXX GRAPHICA | RAJKOT • MORBI