CLAVIS™

Beyond the Surface

PASTEL DREAMS, GLOSSY REALITY



600x
1200mm

www.clavissurfaces.com

REGAL
SERIES • • •

600x1200mm

INSPIRED BY ITALIAN AESTHETICS.

At Clavis, we create surfaces that inspire. With a passion for innovation and an uncompromising commitment to quality, our 600×1200 mm glossy GVT/PGVT tiles are designed to deliver exceptional beauty and enduring performance. From subtle textures to luxurious finishes, each tile reflects precision, elegance, and contemporary design, helping architects, designers, and homeowners shape spaces that leave a lasting impression.



GLOSSY SURFACE

www.clavissurfaces.com

CLAVIS™
Beyond the Surface

LET YOUR SPACES GLOW WITH REFINED SOPHISTICATION

Discover the understated elegance of the REGAL SERIES, a premium collection of 600×1200mm Pastel Color Glossy Tiles crafted to bring brightness, sophistication, and contemporary charm to modern interiors. Featuring refined pastel shades enhanced with a high-gloss polished finish, each tile reflects light beautifully to create a spacious, luxurious, and visually striking ambiance. Designed to complement both residential and commercial spaces, the REGAL SERIES seamlessly blends elegant aesthetics with exceptional craftsmanship. Engineered for durability, easy maintenance, and lasting brilliance, these tiles offer a timeless finish that elevates every environment with effortless style and sophistication.

GLOSSY SURFACE

REGAL
SERIES • • •

Inspired by the soft elegance of pastel tones and elevated with a luxurious glossy finish. Designed to reflect light beautifully while creating a bright, spacious, and sophisticated ambiance, every tile enhances contemporary interiors with effortless style. The REGAL SERIES transforms ordinary surfaces into refined architectural statements. Introducing...



GLOSSY
FINISH

600x
1200mm

www.clavissurfaces.com



CLAVIS™
Beyond the Surface

SURFACE CRAFTED ELEGANCE

Elevate your interiors with the graceful charm of the REGAL SERIES, presented in a premium 600×1200mm format with an elegant Pastel Color Glossy Finish. Featuring soft pastel hues and a brilliant polished surface, every tile reflects light beautifully to create a bright, spacious, and sophisticated ambiance. Ideal for both residential and commercial environments, the REGAL SERIES seamlessly combines timeless aesthetics with exceptional durability, easy maintenance, and lasting performance, delivering elegant spaces that leave a lasting impression.

600x1200mm

ENGINEERED FEATURES OF PRECISION

Scratch Resistant
Built to endure everyday wear, maintaining a flawless surface finish over time.

Heat Resistant
Performs efficiently in high-temperature environments like kitchens and dining areas.

Chemical Resistant
Unaffected by everyday chemicals, ensuring lasting beauty and performance.

Versatile Applications
Flexible formats and finishes expand design possibilities across diverse spaces.

Water Resistant
Repels moisture, ensuring lasting strength and a flawless finish.

Easy to Clean
Smooth surface allows effortless cleaning and everyday maintenance.

GLOSSY SURFACE

CLAVIS™
Beyond the Surface

Crafted to elevate modern interiors with sophisticated design and enduring quality, these premium surfaces blend timeless elegance with remarkable strength, durability, and everyday practicality.



www.clavissurfaces.com

600x1200mm

CLAVIS™
Beyond the Surface

CRAFTED FOR EVERY ENVIRONMENT

From contemporary homes to modern commercial environments, Clavis surfaces are designed to perform effortlessly across diverse spaces. With a perfect balance of durability and aesthetics, these tiles adapt seamlessly to various applications enhancing both functionality and visual appeal.

Thoughtfully crafted to complement every setting, they bring consistency, elegance, and long-lasting performance wherever they are used.

LIVING ROOMS
BED ROOMS
DINING AREAS
KITCHEN
HOSPITALS
RESTAURANT
OFFICES
BOUTIQUE




GLOSSY SURFACE

www.clavissurfaces.com

600x1200mm

PASTEL



HARMONY

Thoughtfully crafted to complement every setting, they bring consistency, elegance, and long-lasting performance wherever they are used.

GLOSSY SURFACE

www.**clavissurfaces**.com

PRODUCT INDEX

CLAVIS™ Beyond the Surface



GL-CLAVIS AQUA



GL-CLAVIS BEIGE




GL-CLAVIS BLUE



GL-CLAVIS CARAMEL




GL-CLAVIS CHARCOAL



GL-CLAVIS CREAM



GL-CLAVIS GREEN



GL-CLAVIS GREY




GL-CLAVIS IVORY



GL-CLAVIS MINT GREEN



GL-CLAVIS MUD




GL-CLAVIS PINK



GL-CLAVIS RED



GL-CLAVIS SKY



GL-CLAVIS WHITE



CLICK & **EXPLORE**
THE SURFACES


CLAVIS™
Beyond the Surface



www.clavissurfaces.com

BACK
TO
INDEX

REGAL
SERIES



GL-CLAVIS
AQUA

GLOSSY
FINISH

600x1200MM
SIZE

9MM
THICKNESS

4
RANDOMS




CLAVIS™
Beyond the Surface



www.clavissurfaces.com

BACK
TO
INDEX

REGAL
SERIES



GL-CLAVIS
BEIGE

GLOSSY
FINISH

600x1200MM
SIZE

9MM
THICKNESS

4
RANDOMS




CLAVIS™
Beyond the Surface



www.clavissurfaces.com

BACK
TO
INDEX

REGAL
SERIES



GL-CLAVIS
BLUE

GLOSSY
FINISH

600x1200MM
SIZE


9MM
THICKNESS


4
RANDOMS


12:58

CLAVIS™
Beyond the Surface

REGAL
SERIES





GL-CLAVIS
CARAMEL

GLOSSY
FINISH

600x1200MM
SIZE

9MM
THICKNESS


4
RANDOMS


CHARCOAL
LOAGO
BOBEH

CLAVIS™
Beyond the Surface

REGAL
SERIES





GL-CLAVIS
CHARCOAL

GLOSSY
FINISH

600x1200MM
SIZE

9MM
THICKNESS

4
RANDOMS

www.clavissurfaces.com

BACK
TO
INDEX


SPACE
KELLY HOPPEN STYCE
CHANEL THE VOCABULARY OF STYLE

CLAVIS™
Beyond the Surface



www.clavissurfaces.com

BACK
TO
INDEX

REGAL
SERIES

GL-CLAVIS
CREAM

GLOSSY
FINISH

600x1200MM
SIZE

9MM
THICKNESS

4
RANDOMS


12 59
LOVE
WHITE


CLAVIS™
Beyond the Surface



www.clavissurfaces.com

BACK
TO
INDEX

REGAL
SERIES



GL-CLAVIS
GREEN

GLOSSY
FINISH


600x1200MM
SIZE

9MM
THICKNESS

4
RANDOMS




CLAVIS™
Beyond the Surface



www.clavissurfaces.com

BACK
TO
INDEX

REGAL
SERIES



GL-CLAVIS
GREY

GLOSSY
FINISH

600x1200MM
SIZE

9MM
THICKNESS

4
RANDOMS




CLAVIS™
Beyond the Surface



www.clavissurfaces.com

BACK
TO
INDEX

REGAL
SERIES



GL-CLAVIS
IVORY

GLOSSY
FINISH

600x1200MM
SIZE

9MM
THICKNESS

4
RANDOMS


JEAN-ETIENNE_LIOTARD
THE CHOCOLATE GIRL


CLAVIS™
Beyond the Surface



www.clavissurfaces.com

BACK
TO
INDEX

REGAL
SERIES



GL-CLAVIS
MINT GREEN

GLOSSY
FINISH

600x1200MM
SIZE

9MM
THICKNESS


4
RANDOMS



CLAVIS™
Beyond the Surface

REGAL
SERIES





GL-CLAVIS
MUD

GLOSSY
FINISH

600x1200MM
SIZE

9MM
THICKNESS

4
RANDOMS

www.clavissurfaces.com


BACK
TO
INDEX



CLAVIS™
Beyond the Surface

REGAL
SERIES





GL-CLAVIS **PINK**

GLOSSY
FINISH

600x1200MM
SIZE

9MM
THICKNESS

4
RANDOMS

www.clavissurfaces.com


BACK
TO
INDEX


BRUKET
WHITE GOLD
BRUKET

CLAVIS™
Beyond the Surface

REGAL
SERIES





GL-CLAVIS
RED

GLOSSY
FINISH

600x1200MM
SIZE

9MM
THICKNESS

4
RANDOMS

www.clavissurfaces.com


BACK
TO
INDEX



CLAVIS™
Beyond the Surface

REGAL
SERIES





GL-CLAVIS
SKY

GLOSSY
FINISH

600x1200MM
SIZE

9MM
THICKNESS

4
RANDOMS



CLAVIS™
Beyond the Surface



www.clavissurfaces.com

BACK
TO
INDEX

REGAL
SERIES

GL-CLAVIS
WHITE

GLOSSY
FINISH

600x1200MM
SIZE

9MM
THICKNESS

4
RANDOMS



TECHNICAL SPECIFICATION

CHARACTERISTIC	STAND ARD AS PER ISO13006:2018/ EN14411 Gr.Bla	MEAN VALUE	TEST METHOD
Regulatory Properties			
Deviation in length and width	± 0.30 % (±1.00mm)	± 0.10 %	ISO 10545-2
Deviation in thickness	± 5.00 % (±0.50mm)	± 4.00 %	ISO 10545-2
Straightness in side	± 0.30 % (±0.80mm)	± 0.10 %	ISO 10545-2
Rectangularity	± 0.30 % (±1.50mm)	± 0.10 %	ISO 10545-2
Surface flatness cental cur vature	± 0.40 % (±1.80mm)	± 0.20 %	ISO 10545-2
Surface flatness edge curvature	± 0.40 % (±1.80mm)	± 0.20 %	ISO 10545-2
Surface flatness warpage	± 0.40 % (±1.80mm)	± 0.10 %	ISO 10545-2
Surface quality	> 95% defects free	> 95% defects free	ISO 10545-2
Small Color Difference(For Plain Color)	ΔE<1.00	ΔE < 0.30	ISO 10545-16
Glossiness (Polished)	as per mfg.	Gloss Value > 90	Glossmeter 60°
Glossiness (Matt)	as per mfg.	3° < GLOSS < 7°	Glossmeter 60°
Glossiness (Satin/P osh)	as per mfg.	7° < GLOSS < 18°	Glossmeter 60°
Structural Properties			
Water absorption	0.50 % ≤ Ev ≤ 3.00 %	0.060 % ≤ Ev ≤ 3.00 %	ISO 10545-3
Bulk density	as per mfg.	> 2.28 gm/c c	ISO 10545-3
Massive Mechanical P roperties			
Modulus of rupture	Min. 30.0 N/mm²	Min. 35.0 N/mm²	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 700.0 N	Min. 1000.0 N	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 1100.0 N	Min. 1300.0 N	ISO 10545-4
Breaking strength thickness ≥7.5(For ≥15mm)	Min. 1100.0 N	Min. 1800.0 N	ISO 10545-4
Surface Mechanical P roperties			
MOH'S har dness	as per mfg.	Polished Min 4* / Satin,Posh & Matt Min 6	BS EN 15771
Surface abrasion resistance	as per mfg.	Polish Min. Class 2, Satin & P osh Min. Class 3, & Matt Min. Class 4	ISO 10545-7
Deep abrasion resistance	Max. 175mm[1]	Max. 132mm[1]	ISO 10545-6
Thermal Hydrometric Properties			
Moisture expansion	Max. 0.06%(0.6mm/m)	0.02mm/m	ISO 10545-10
Thermal expansion(COE) at 100°C	as per mfg.	Max. 6.0 x 10^{-6}	ISO 10545-8
Thermal shock resistance	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9
Impact resistance(COR)	Min. 0.55	Min. 0.55	ISO 10545-5
Frost resistance	as per mfg.	Frost Proof	ISO 10545-12
Chemical Properties			
Resistance to staining glazed	Min. Class 3	Min. Class 4	ISO 10545-14
Resistance to household chemicals & swimming pool salts glazed	Min. Class GB	Min. Class GA	ISO 10545-13
Resistance to low concentrate acid and alkalis glazed	as per mfg.	Min. Class GLA**	ISO 10545-13
Resistance to high concentrate acid and alkalis unglazed	as per mfg.	Min. Class GHB**	ISO 10545-13
Safety Properties			
Skid resistance (COF -WET PENDULAM)##	as per mfg.	Glossy P0(<12),Satin, P osh ≥P1(12-24) Matt ≥P2(25-34)	BS 7976-2
Slip resistance - (Satin / Matt (DCOF) (R value)##	as per mfg.	R9 to R13**	DIN 51130
Fire resistance	as per mfg.	Fire Proof	N.A.

PACKING DETAILS

PRODUCT	SIZE	TILES / BOX	COVERAGE AREA / BOX	WEIGHT
GVT/PGVT	**600X1200MM**	**2 PCS.**	**1.44 SQ.MTR.**	**27 KG (APPROX)**

LETS
GET IN
TOUCH !

CLAVIS™
Beyond the Surface

CLAVIS SURFACES LLP

Jetpar Road, At. Bela
(Rangpar), Morbi-363642,
(Gujarat) INDIA.

+91 95123 30050
clavissurfaces@gmail.com
www.**clavissurfaces**.com

DOXX GRAPHICA | RAJKOT • MORBI