CLAVIS™

Beyond the Surface

BEYOND
STONE,
INTO
TIMELESS
STORIES



600x
1200mm

www.**clavissurfaces**.com

SINDHU
SERIES

600x1200mm

INSPIRED BY ITALIAN AESTHETICS.

At Clavis, we create surfaces that inspire. With a passion for innovation and an uncompromising commitment to quality, our 600×1200 mm glossy GVT/PGVT tiles are designed to deliver exceptional beauty and enduring performance. From subtle textures to luxurious finishes, each tile reflects precision, elegance, and contemporary design, helping architects, designers, and homeowners shape spaces that leave a lasting impression.



GLOSSY SURFACE

www.**clavissurfaces**.com

CLAVIS™
Beyond the Surface

LET YOUR SPACES GLOW WITH REFINED SOPHISTICATION

Experience timeless grandeur with the SINDHU SERIES by Clavis, crafted in a premium 600×1200 mm format with a luxurious glossy surface finish. Inspired by the majestic beauty of classic Satuario marble, this collection showcases a pristine ivory canvas enriched with graceful golden veining, reflecting the elegance of timeless architecture. Its polished surface enhances natural light, creating interiors that feel brighter, more spacious, and effortlessly sophisticated. Designed for both residential and commercial spaces, the SINDHU SERIES seamlessly blends enduring aesthetics, exceptional durability, and easy maintenance, making it the perfect choice for architects, designers, and homeowners seeking refined luxury with lasting performance.

GLOSSY SURFACE

A tribute to the enduring charm of Italian Satuario marble, the SINDHU SERIES blends graceful golden veining with a pristine ivory backdrop. Designed to elevate contemporary interiors with elegance, character, and lasting luxury. Introducing...

SINDHU
SERIES



www.clavissurfaces.com



CLAVIS™
Beyond the Surface

SURFACE CRAFTED ELEGANCE

Inspired by the timeless elegance of premium Italian Satuario marble, the SINDHU SERIES by Clavis is crafted in a sophisticated 600x1200mm format with a luxurious glossy surface finish. Featuring a refined ivory backdrop with graceful golden veining, SINDHU brings a perfect blend of opulence, brightness, and contemporary charm to modern interiors. Its polished surface enhances light reflection, adding depth and creating a seamless flow across living spaces. Designed for both residential and commercial applications, the SINDHU SERIES delivers exceptional aesthetics, durability, and effortless maintenance, making it a statement choice for elegant architectural environments.

www.**clavissurfaces**.com

600x1200mm

ENGINEERED FEATURES OF PRECISION

Scratch Resistant
Built to endure everyday wear, maintaining a flawless surface finish over time.

Heat Resistant
Performs efficiently in high-temperature environments like kitchens and dining areas.

Chemical Resistant
Unaffected by everyday chemicals, ensuring lasting beauty and performance.


Versatile Applications
Flexible formats and finishes expand design possibilities across diverse spaces.

Water Resistant
Repels moisture, ensuring lasting strength and a flawless finish.

Easy to Clean
Smooth surface allows effortless cleaning and everyday maintenance.

GLOSSY SURFACE

CLAVIS™
Beyond the Surface



From contemporary homes to modern commercial environments, surfaces are designed to perform effortlessly across diverse spaces. With a perfect balance of durability and aesthetics, these tiles adapt seamlessly to various applications enhancing both functionality and visual appeal.

www.**clavissurfaces**.com

600x1200mm

CRAFTED FOR EVERY ENVIRONMENT

From contemporary homes to modern commercial environments, surfaces are designed to perform effortlessly across diverse spaces. With a perfect balance of durability and aesthetics, these tiles adapt seamlessly to various applications enhancing both functionality and visual appeal.

Thoughtfully crafted to complement every setting, they bring consistency, elegance, and long-lasting performance wherever they are used.

LIVING ROOMS
BED ROOMS
DINING AREAS
KITCHEN
HOSPITALS
RESTAURANT
OFFICES
BOUTIQUE




GLOSSY SURFACE

CLAVIS™
Beyond the Surface

www.clavissurfaces.com

600x1200mm

TIMELESS



ELEGANCE


Designed to enhance every environment, they offer timeless elegance, exceptional durability, and seamless performance in every space.


GLOSSY SURFACE


CLAVIS™
Beyond the Surface


PRODUCT INDEX


CLICK & EXPLORE THE SURFACES



ARCTIC STATUARIO



BLANC NATURAL



CALCUTTA SILVER



EVEREST WINE



FLASH



FRONX FUSE



FRONX GREY


GALAXY WHITE


GRETA STATUARIO


ICON NATURAL


IRIS WHITE



LUCA PULSE


www.clavissurfaces.com


600x1200mm


CLAVIS™
Beyond the Surface



LUX NATURAL



MOLENTO



MOON STATUARIO



MUTOX MIX



NOBEL STATUARIO



OCEAN STATUARIO



PABLO



PEARL STATUARIO


POLAR GOLD



POLAR SILVER



REAL STATUARIO



RICO STATUARIO



SANDY NATURAL



SPICA STATUARIO



STACY STATUARIO


STATUARIO FANTA


TRENDY STATUARIO


UNIX BLUE


UNIX LUX


VELENCIA MIX

GLOSSY SURFACE

www.clavissurfaces.com

CLAVIS™
Beyond the Surface

SINDHU
SERIES




ARCTIC
STATUARIO


SURFACE
GLOSSY


RANDOMS
4

THICKNESS
9 MM

ENDLESS







600x
1200 mm

Scratch Resistant

Heat Resistant

Chemical Resistant

Water Resistant



CLAVIS™
Beyond the Surface

SINDHU
SERIES




BLANC
NATURAL


SURFACE
GLOSSY


RANDOMS
4

THICKNESS
9 MM

ENDLESS
∞







600x
1200 mm

Scratch Resistant

Heat Resistant

Chemical Resistant

Water Resistant

CLAVIS™
Beyond the Surface

SINDHU
SERIES




CALCUTTA
SILVER


SURFACE
GLOSSY


RANDOMS
4

THICKNESS
9 MM

ENDLESS
∞







600x
1200 mm

Scratch Resistant

Heat Resistant

Chemical Resistant

Water Resistant



CLAVIS™
Beyond the Surface

SINDHU
SERIES






EVEREST
WINE

SURFACE
GLOSSY

RANDOMS
4

THICKNESS
9 MM

ENDLESS
∞

600x
1200 mm

Scratch Resistant


Heat Resistant

Chemical Resistant

Water Resistant

CLAVIS™
Beyond the Surface

SINDHU
SERIES



FLASH


SURFACE
GLOSSY

RANDOMS
4

THICKNESS
9 MM

ENDLESS
∞







600x
1200 mm

Scratch Resistant

Heat Resistant

Chemical Resistant

Water Resistant

www.clavissurfaces.com

BACK TO INDEX



CLAVIS™
Beyond the Surface

SINDHU
SERIES



FRONX
FUSE


SURFACE
GLOSSY


RANDOMS
4

THICKNESS
9 MM

ENDLESS
∞







600x
1200 mm

Scratch Resistant

Heat Resistant

Chemical Resistant

Water Resistant

CLAVIS™
Beyond the Surface

SINDHU
SERIES






FRONX
GREY

SURFACE
GLOSSY

RANDOMS
4

THICKNESS
9 MM

ENDLESS
∞

600x
1200 mm

Scratch Resistant

Heat Resistant

Chemical Resistant

Water Resistant



CLAVIS™
Beyond the Surface

SINDHU
SERIES




GALAXY
WHITE


SURFACE
GLOSSY


RANDOMS
4

THICKNESS
9 MM

ENDLESS







600x
1200 mm

Scratch Resistant

Heat Resistant

Chemical Resistant

Water Resistant

www.clavissurfaces.com

BACK TO INDEX

CLAVIS™
Beyond the Surface

SINDHU
SERIES




GRETA
STATUARIO


SURFACE
GLOSSY


RANDOMS
4

THICKNESS
9 MM

ENDLESS
∞







600x
1200 mm

Scratch Resistant

Heat Resistant


Chemical Resistant

Water Resistant


monochrome home
CALATRAVA

CLAVIS™
Beyond the Surface

SINDHU
SERIES




ICON
NATURAL


SURFACE
GLOSSY


RANDOMS
4

THICKNESS
9 MM

ENDLESS







600x
1200 mm

Scratch Resistant

Heat Resistant

Chemical Resistant

Water Resistant

www.clavissurfaces.com

BACK TO INDEX



IRIS
WHITE

SURFACE
GLOSSY

RANDOMS
4

THICKNESS
9 MM

ENDLESS







600x
1200 mm

Scratch Resistant

Heat Resistant

Chemical Resistant

Water Resistant


monochrome home

CLAVIS™
Beyond the Surface

SINDHU
SERIES



LUCA
PULSE

SURFACE
GLOSSY


RANDOMS
4

THICKNESS
9 MM

ENDLESS
∞







600x
1200 mm

Scratch Resistant

Heat Resistant

Chemical Resistant

Water Resistant

CLAVIS™
Beyond the Surface

SINDHU
SERIES



LUX
NATURAL

SURFACE
GLOSSY

RANDOMS
4

THICKNESS
9 MM

ENDLESS







600x
1200 mm

Scratch Resistant

Heat Resistant

Chemical Resistant

Water Resistant

www.clavissurfaces.com

BACK TO INDEX






MOLENTO

SURFACE
GLOSSY

RANDOMS
4

THICKNESS
9 MM

ENDLESS



600x
1200 mm

Scratch Resistant

Heat Resistant

Chemical Resistant

Water Resistant

CLAVIS™
Beyond the Surface

SINDHU
SERIES




MOON
STATUARIO


SURFACE
GLOSSY


RANDOMS
4

THICKNESS
9 MM

ENDLESS
∞







600x
1200 mm

Scratch Resistant

Heat Resistant

Chemical Resistant

Water Resistant



CLAVIS™
Beyond the Surface

SINDHU
SERIES



MUTOX
MIX

SURFACE
GLOSSY

RANDOMS
4

THICKNESS
9 MM

ENDLESS





600x
1200 mm

Scratch Resistant

Heat Resistant

Chemical Resistant

Water Resistant

www.clavissurfaces.com

BACK TO INDEX




NOBEL
STATUARIO


SURFACE
GLOSSY


RANDOMS
4

THICKNESS
9 MM

ENDLESS
∞







600x
1200 mm

Scratch Resistant

Heat Resistant


Chemical Resistant

Water Resistant



CLAVIS™
Beyond the Surface

SINDHU
SERIES




OCEAN
STATUARIO


SURFACE
GLOSSY


RANDOMS
4

THICKNESS
9 MM

ENDLESS
∞







600x
1200 mm

Scratch Resistant

Heat Resistant

Chemical Resistant

Water Resistant

CLAVIS™
Beyond the Surface

SINDHU
SERIES




PABLO

SURFACE
GLOSSY

RANDOMS
4

THICKNESS
9 MM

ENDLESS
∞







600x
1200 mm

Scratch Resistant

Heat Resistant

Chemical Resistant

Water Resistant

www.clavissurfaces.com

BACK TO INDEX



CLAVIS™
Beyond the Surface

SINDHU
SERIES




PEARL
STATUARIO


SURFACE
GLOSSY


RANDOMS
4

THICKNESS
9 MM

ENDLESS







600x
1200 mm

Scratch Resistant

Heat Resistant

Chemical Resistant


Water Resistant

www.clavissurfaces.com

BACK TO INDEX

CLAVIS™
Beyond the Surface

SINDHU
SERIES




POLAR
GOLD


SURFACE
GLOSSY


RANDOMS
4

THICKNESS
9 MM

ENDLESS
∞







600x
1200 mm

Scratch Resistant

Heat Resistant

Chemical Resistant

Water Resistant



CLAVIS™
Beyond the Surface

SINDHU
SERIES




POLAR SILVER


SURFACE
GLOSSY


RANDOMS
4

THICKNESS
9 MM

ENDLESS
∞







600x
1200 mm

Scratch Resistant


Heat Resistant

Chemical Resistant

Water Resistant

CLAVIS™
Beyond the Surface

SINDHU
SERIES



REAL
STATUARIO


SURFACE
GLOSSY

RANDOMS
4

THICKNESS
9 MM

ENDLESS
∞







600x
1200 mm

Scratch Resistant

Heat Resistant

Chemical Resistant

Water Resistant






RICO
STATUARIO


SURFACE
GLOSSY


RANDOMS
4

THICKNESS
9 MM

ENDLESS
∞







600x
1200 mm

Scratch Resistant

Heat Resistant

Chemical Resistant

Water Resistant

CLAVIS™
Beyond the Surface

SINDHU
SERIES



SANDY
NATURAL


SURFACE
GLOSSY

RANDOMS
4

THICKNESS
9 MM

ENDLESS







600x
1200 mm

Scratch Resistant

Heat Resistant

Chemical Resistant

Water Resistant



CLAVIS™
Beyond the Surface

SINDHU
SERIES




SPICA
STATUARIO


SURFACE
GLOSSY

RANDOMS
4

THICKNESS
9 MM

ENDLESS
∞







600x
1200 mm

Scratch Resistant

Heat Resistant

Chemical Resistant

Water Resistant

CLAVIS™
Beyond the Surface

SINDHU
SERIES




STACY
STATUARIO


SURFACE
GLOSSY


RANDOMS
4

THICKNESS
9 MM

ENDLESS







600x
1200 mm

Scratch Resistant

Heat Resistant

Chemical Resistant

Water Resistant


www.clavissurfaces.com

BACK TO INDEX



CLAVIS™
Beyond the Surface

SINDHU
SERIES




STATUARIO
FANTA


SURFACE
GLOSSY


RANDOMS
4

THICKNESS
9 MM

ENDLESS
∞







600x
1200 mm

Scratch Resistant

Heat Resistant

Chemical Resistant

Water Resistant




TRENDY
STATUARIO


SURFACE
GLOSSY


RANDOMS
4

THICKNESS
9 MM

ENDLESS







600x
1200 mm


Scratch Resistant

Heat Resistant

Chemical Resistant

Water Resistant






UNIX
BLUE


SURFACE
GLOSSY


RANDOMS
4

THICKNESS
9 MM

ENDLESS
∞








600x
1200 mm

Scratch Resistant

Heat Resistant

Chemical Resistant

Water Resistant




UNIX
LUX


SURFACE
GLOSSY


RANDOMS
4

THICKNESS
9 MM

ENDLESS
∞







600x
1200 mm

Scratch Resistant

Heat Resistant

Chemical Resistant

Water Resistant





VELENCIA
MIX


SURFACE
GLOSSY


RANDOMS
4

THICKNESS
9 MM

ENDLESS
∞







600x
1200 mm

Scratch Resistant

Heat Resistant

Chemical Resistant

Water Resistant

TECHNICAL SPECIFICATION

CHARACTERISTIC	STAND ARD AS PER ISO13006:2018/ EN14411 Gr.Bla	MEAN VALUE	TEST METHOD
Regulatory Properties			
Deviation in length and width	± 0.30 % (±1.00mm)	± 0.10 %	ISO 10545-2
Deviation in thickness	± 5.00 % (±0.50mm)	± 4.00 %	ISO 10545-2
Straightness in side	± 0.30 % (±0.80mm)	± 0.10 %	ISO 10545-2
Rectangularity	± 0.30 % (±1.50mm)	± 0.10 %	ISO 10545-2
Surface flatness cental cur vature	± 0.40 % (±1.80mm)	± 0.20 %	ISO 10545-2
Surface flatness edge curvature	± 0.40 % (±1.80mm)	± 0.20 %	ISO 10545-2
Surface flatness warpage	± 0.40 % (±1.80mm)	± 0.10 %	ISO 10545-2
Surface quality	> 95% defects free	> 95% defects free	ISO 10545-2
Small Color Difference(For Plain Color)	ΔE<1.00	ΔE < 0.30	ISO 10545-16
Glossiness (Polished)	as per mfg.	Gloss Value > 90	Glossmeter 60°
Glossiness (Matt)	as per mfg.	3° < GLOSS < 7°	Glossmeter 60°
Glossiness (Satin/P osh)	as per mfg.	7° < GLOSS < 18°	Glossmeter 60°
Structural Properties			
Water absorption	0.50 % ≤ Ev ≤ 3.00 %	0.060 % ≤ Ev ≤ 3.00 %	ISO 10545-3
Bulk density	as per mfg.	> 2.28 gm/c c	ISO 10545-3
Massive Mechanical P roperties			
Modulus of rupture	Min. 30.0 N/mm^2	Min. 35.0 N/mm^2	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 700.0 N	Min. 1000.0 N	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 1100.0 N	Min. 1300.0 N	ISO 10545-4
Breaking strength thickness ≥7.5(For ≥15mm)	Min. 1100.0 N	Min. 1800.0 N	ISO 10545-4
Surface Mechanical P roperties			
MOH'S har dness	as per mfg.	Polished Min 4* / Satin,Posh & Matt Min 6	BS EN 15771
Surface abrasion resistance	as per mfg.	Polish Min. Class 2, Satin & P osh Min. Class 3, & Matt Min. Class 4	ISO 10545-7
Deep abrasion resistance	Max. 175mm[1]	Max. 132mm[1]	ISO 10545-6
Thermal Hydrometric Properties			
Moisture expansion	Max. 0.06%(0.6mm/m)	0.02mm/m	ISO 10545-10
Thermal expansion(COE) at 100°C	as per mfg.	Max. 6.0 x 10^{-6}	ISO 10545-8
Thermal shock resistance	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9
Impact resistance(COR)	Min. 0.55	Min. 0.55	ISO 10545-5
Frost resistance	as per mfg.	Frost Proof	ISO 10545-12
Chemical Properties			
Resistance to staining glazed	Min. Class 3	Min. Class 4	ISO 10545-14
Resistance to household chemicals & swimming pool salts glazed	Min. Class GB	Min. Class GA	ISO 10545-13
Resistance to low concentrate acid and alkalis glazed	as per mfg.	Min. Class GLA**	ISO 10545-13
Resistance to high concentrate acid and alkalis unglazed	as per mfg.	Min. Class GHB**	ISO 10545-13
Safety Properties			
Skid resistance (COF -WET PENDULAM)##	as per mfg.	Glossy P0(<12),Satin, P osh ≥P1(12-24) Matt ≥P2(25-34)	BS 7976-2
Slip resistance - (Satin / Matt (DCOF) (R value)##	as per mfg.	R9 to R13**	DIN 51130
Fire resistance	as per mfg.	Fire Proof	N.A.

PACKING DETAILS

PRODUCT	SIZE	TILES / BOX	COVERAGE AREA / BOX	WEIGHT
GVT/PGVT	**600X1200MM**	**2 PCS.**	**1.44 SQ.MTR.**	**27 KG (APPROX)**

LETS
GET IN
TOUCH !

CLAVIS™
Beyond the Surface

CLAVIS SURFACES LLP

Jetpar Road, At. Bela
(Rangpar), Morbi-363642,
(Gujarat) INDIA.

+91 95123 30050
clavissurfaces@gmail.com
www.**clavissurfaces**.com

DOXX GRAPHICA | RAJKOT • MORBI